



# Safety Data Sheet

| Section 1  | Product and C   | Company Identification   |  |  |  |  |
|--|---|--|--|--|--|--|
| Manufacturer   |   | Emergency Phone Numbers  |  |  |  |  |
| Tomlin Scienti   | ic, Inc.  | 714-973-7971 Normal Business Hrs.  |  |  |  |  |
| 6780 Eight Stre  | eet   | USA & Canada Chemtrec 800-424-9300   |  |  |  |  |
| Buena Park, CA   | A 90620   | International Chemtrec 703-527-3887  |  |  |  |  |
| United States of   | of America  |  |  |  |  |  |
| Phone: 714-97  | Phone: 714-973-7971 Fax: 714-523-7976   |  |  |  |  |  |
| Recommended Usage: Lubricating Grease  |   |  |  |  |  |  |
| Other Identifier: Mixture  |   |  |  |  |  |  |
|  | Advantage Extreme Tacky   |  |  |  |  |  |
| OSHA/HCS status: This m  | Hazards Identification<br>naterial is considered hazardo<br>dard (29 CFR1910.1200).   | <b>on</b><br>us by the OSHA Hazard Communication                           |  |  |  |  |
| <b>OSHA/HCS status</b> : This m<br>Stan  | naterial is considered hazardo<br>dard (29 CFR1910.1200).   |  |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs  | naterial is considered hazardo<br>dard (29 CFR1910.1200).   | us by the OSHA Hazard Communication  |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs<br>GHS label elements<br>Hazard Pictograms:  | naterial is considered hazardo<br>dard (29 CFR1910.1200).   | us by the OSHA Hazard Communication  |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs  | haterial is considered hazardo<br>dard (29 CFR1910.1200).<br>Stance or Mixture: SERIOUS   | us by the OSHA Hazard Communication EYE DAMAGE/EYE IRRITATION- Category 2A |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs<br>GHS label elements<br>Hazard Pictograms:<br>Signal Word   | aaterial is considered hazardo<br>dard (29 CFR1910.1200).<br>stance or Mixture: SERIOUS<br>: Warning<br>: Causes serious eye irrit  | us by the OSHA Hazard Communication EYE DAMAGE/EYE IRRITATION- Category 2A |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs<br>GHS label elements<br>Hazard Pictograms:<br>Signal Word<br>Hazard Statements:   | haterial is considered hazardo<br>dard (29 CFR1910.1200).<br>Stance or Mixture: SERIOUS<br>: Warning<br>: Causes serious eye irrit  | us by the OSHA Hazard Communication EYE DAMAGE/EYE IRRITATION- Category 2A |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs<br>GHS label elements<br>Hazard Pictograms:<br>Signal Word<br>Hazard Statements:<br>Precautionary Statemen               | aaterial is considered hazardo<br>dard (29 CFR1910.1200).<br>stance or Mixture: SERIOUS<br>: Warning<br>: Causes serious eye irrit<br>ts<br>: Wear eye or face prote                              | ation  |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs<br>GHS label elements<br>Hazard Pictograms:<br>Signal Word<br>Hazard Statements:<br>Precautionary Statemen<br>Prevention | aterial is considered hazardo<br>dard (29 CFR1910.1200).<br>stance or Mixture: SERIOUS<br>: Warning<br>: Causes serious eye irrit<br>ts<br>: Wear eye or face prote<br>: IF IN EYES: Rinse cautio | extion. Wash hands thoroughly after handling.                              |  |  |  |  |
| OSHA/HCS status: This m<br>Stan<br>Classification of the Subs<br>GHS label elements<br>Hazard Pictograms:<br>Signal Word<br>Hazard Statements:<br>Precautionary Statemen<br>Prevention | aterial is considered hazardo<br>dard (29 CFR1910.1200).<br>stance or Mixture: SERIOUS<br>: Warning<br>: Causes serious eye irrit<br>ts<br>: Wear eye or face prote<br>: IF IN EYES: Rinse cautio | extion. Wash hands thoroughly after handling.                              |  |  |  |  |





# **Section 3 Composition Information on Ingredients**

| Ingredient   | <u>WT %</u> | <u>CAS #</u> |  |
|--|-------------|--------------|--|
| Distillates (petroleum) hydrotreated heavy paraffinic          | 30-60       | 64742-65-0   |  |
| Phosphorodithioic acid, O, O-di-C1-14-alkyl esters, zinc salts | 1-5         | 68649-42-3   |  |

# **Section 4 First Aid Measures**

Eyes: Flush eyes with running water for at least 15 minutes. If redness, burning, blurred vision or irritation persists, get medical attention.

Skin: Flush skin with water, wash with soap and water. If irritation occurs, get medical attention. Remove contaminated clothing. Do not reuse clothing until cleaned.

Ingestion: Do NOT induce vomiting and obtain medical attention. Have victim rinse mouth out with water.

**Inhalation:** Remove victim to fresh air. Get medical attention if symptoms occur.

# **Section 5 Fire Fighting Measures**

### Flammable Properties:

Base Oil Flash point: 277°C (ASTM D92) Flammable limits in air: N/A

Extinguishing media: CO<sub>2</sub>, dry chemical, foam

### Special firefighting measure:

Procedures for an oil fire should be utilized. Use self-contained breathing apparatus. Use foam or dry chemical to extinguish fire. Water may be used only to keep surrounding containers cool. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

# Section 6 Accidental Release Measures

- Eliminate ignition sources and ventilate area. •
- Absorb spillage with inert absorbent material.
- Contain spill and keep from entering waterways or sewers. Treat contaminated absorbent same as spilled product.

### Section 7 Handling and Storage

- Advise EPA/state agency if required.
- Use proper personal protective equipment for clean-up.

Auto ignition temperature: N/A



Precautions for safe handling. Observe Good Industrial Practices.

S. Advantage LUBRICANTS Refining technology with expertise:

**Conditions for safe storage, including any incompatibilities.** Store in original tightly closed container. Store away from incompatible materials (See section 10 of the SDS).

# **Section 8 Personal Protection/ Exposure Controls**

**Engineering Controls:** Use adequate ventilation to keep vapors and mists of this material below applicable standards. Recommended workplace control parameters - based on mineral oil ACGIH TWA 5 mg/m<sup>3</sup>.

**Respiratory Protection:** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of the OSHA Respiratory Protection Standard, 29 CFR 1910.134.

Skin Protection: Use protective clothing that is chemically resistant to this product.

Eye Protection: Use safety glasses or goggles with side shields.

Other/General Protection: Always use good chemical hygiene.

**Occupational Exposure Limits** 

U.S.OSH Table Z-1 Limits for Air Contaminants (29CFR 1910.1000)

|   | NIOSH REL                         |
|---|-----------------------------------|
| Distillates (Petroleum)Solvent-dewaxed        | 5 mg/m <sup>3</sup> 10 hours mist |
| Heavy Paraffinic (CAS 64742-62-7, 64742-54-7) | OSHA PEL                          |
|   | 5 mg/m <sup>3</sup> 8 hours mist  |

# **Section 9 Physical and Chemical Properties**

| Color: Red           | Vapor Pressure: N/A       | Solu         | Solubility in Water: Insoluble |           |  |
|----------------------|---------------------------|--------------|--------------------------------|-----------|--|
| Appearance: Solid    | % Volatile by Volume: N/A |              | Evaporation Rate N/A           |           |  |
| Odor: Characteristic | Vapor Density (air = 1):  | N/A          | (Butyl Acetate = 1):           | <1        |  |
| Boiling Point: N/A   | Reactivity in Water:      | Non-reactive | Specific Gravity:              | 0.90-0.91 |  |

# **Section 10 Stability and Reactivity**

| Stability: Stable. Conditions to avoid: Sources of ignition.  | Incompatibility: Strong oxidizing or reducing agents. |
|---|---|
| <b>Decomposition Products:</b> Oxides of Carbon and Hydrogen. | Hazardous Polymerization: Will not occur.             |

# **Section 11 Toxicological Information**

6780 8th Street · Buena Park, CA 90620 · Tel: 714.973.7971 · 888.890.5776 · Fax: 714.973.7972 info@tomlinscientific.com



Likely Routes of Exposure: Inhalation, skin, eyes, and ingestion.

Potential Health Effects:
Eye Effects: This mixture may cause serious eye irritation.
Skin Effects: No irritation is expected.
Oral Effects: May cause discomfort. This material is a low injection hazard.
Inhalation Effects: No irritation is expected.
Toxicological Data: No data available.

# **Section 12 Ecological Information**

Not classified due to inadequate data available on this mixture. Highly recommend avoidance of release to the environment.

### **Section 13 Disposal Considerations**

Avoid release to the environment. Dispose in a safe manner in accordance with national, state and local regulations. Not a RCRA hazardous waste if uncontaminated.

### **Section 14 Transportation Information**

Dot Shipping Label: Not regulated by DOT.

**IATA**: Not regulated as dangerous goods.

**IMDG:** Not regulated as dangerous goods.

### **Section 15 Regulatory Information**

**U.S. Federal Regulatory Information: TSCA 8(a) PAIR:** Phosphorodithioic acid, 0,0-di-C1-14-alkyl esters, zinc salts: naphthalene

SARA 302 Extremely Hazardous substance: Not listed

SARA 304 Reportable Quantity: Not listed

SARA 311 Categories: No

SARA 311/312 (TRI reporting): Immediate (acute) Health Hazard





#### **Composition/Information on Ingredients**

# CountryMark. Advantage LUBRICANTS Refining technology with expertise:

#### Name

| Name   | %   | Fire<br>Hazard | Sudden release<br>of Pressure | Reactive | Immediate<br>(acute) health<br>hazard | Delayed (chronic)<br>health hazard |
|--|-----|----------------|-------------------------------|----------|---------------------------------------|------------------------------------|
| Phosphorodithioic acid, O, O-di-<br>C1-14-alkyl esters, zinc salts | 1-5 | No.            | No.                           | No.      | Yes                                   | No.                                |

**EPA/TSCA Inventory:** The components of this product are listed on the EPA/TSCA inventory of chemicals.

EPA Hazard Classification Code: Not applicable


**CERCLA:** No chemicals in this product are subject to the reporting requirements of CERCLA.

**SARA Title III - Section 313 Supplier Notification:** No Chemicals in this product exceed the DE Minimus reporting level established by SARA Title III, Section 313 and 40 CFR 372.

WHMIS Classification: Not controlled.

Other Regulations: All components of this formulation are listed on the CEPA-DSL (Domestic Substance List)

California Prop 65: This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.







### **Disclaimer of Express or Implied Warranties**

The information contained herein is based upon data believed to be reliable and reflects our best professional judgment. Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy of completeness of the information contained therein and assume no responsibility regarding the suitability of this information for the user's intended purpose or for the consequence of its use. Each individual

should make a determination as to the suitability of the information for his/her particular purpose(s).